Table 29.—Sites of amputation in 1,389 separate operations on German prisoners of war

| Site of amputation | Amputations | Percent |
|-------------------------|------------------|---------|
| Arm | 1 190 | 13. 7 |
| Forearm 2 | ³ 125 | 9. 0 |
| Total | 315 | 22. 7 |
| Thigh: | | |
| Upper third | 4 114 | 8. 2 |
| Middle third | 193 | 13. 9 |
| Lower third | ⁵ 200 | 14. 4 |
| Total | 507 | 36. 5 |
| Leg: | | |
| Upper third | 128 | 9. 2 |
| Middle third | 175 | 12. 6 |
| Lower third | 142 | 10. 2 |
| Total | 445 | 32. 0 |
| Foot ² | 122 | 8. 8 |
| Total, upper extremity | 315 | 22. 7 |
| Total, lower extremity | 1, 074 | 77. 8 |
| Total, both extremities | 1, 389 | 100. 0 |

Including 11 disarticulations at the shoulder joint and 4 at the elbow.

² No data on breakdown of site.

 $^{^{\}scriptscriptstyle 3}$ Including 41 disarticulations at the wrist.

⁴ Including 24 disarticulations at the hip joint.

⁵ Including 70 disarticulations at the knee joint.